

AD-A081 623

ARMY ELECTRONICS RESEARCH AND DEVELOPMENT COMMAND WS--ETC F/6 4/2
19702A 6SR5, MISSILE NUMBERS 223, 224, ROUND NUMBERS B-47, B-48--ETC(U)
OCT 79

UNCLASSIFIED

ERADCOM/ASL-DR-1081

NL

1-1
2-1000-1



END

DATE

FILED

4-80

DDI

DISCLAIMER NOTICE

**THIS DOCUMENT IS BEST QUALITY
PRACTICABLE. THE COPY FURNISHED
TO DDC CONTAINED A SIGNIFICANT
NUMBER OF PAGES WHICH DO NOT
REPRODUCE LEGIBLY.**

(14) EKADCOM/ASL-1

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
DR-1081		
4. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERED
19702A GSRS, Missile Numbers 223, 224, Round Numbers B-47, B-48; 22 October 1979.		
6. AUTHOR(s)		7. CONTRACT OR GRANT NUMBER(s)
White Sands Meteorological Team		DA Task 1F665702D127-02
8. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
data rept.		
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
US Army Electronics Research & Development Cmd Atmospheric Sciences Laboratory White Sands Missile Range, NM 88002		October 1979
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES
US Army Electronics Research & Development Cmd Adelphi, MD 20783		21
16. DISTRIBUTION STATEMENT (of this Report)		15. SECURITY CLASS. (of this report)
		UNCLASSIFIED
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		16a. DECLASSIFICATION/DOWNGRADING SCHEDULE
Approved for public release; distribution unlimited.		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
1. Ballistics 2. Meteorology 3. Wind		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)		
Meteorological data gathered for the launching of 19702A GSRS, Missile Numbers 223, 224, Round Numbers B-47, B-48 are presented in tabular form.		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

CONTENTS

	PAGE
INTRODUCTION-----	1
DISCUSSION-----	1
LAUNCH AREA MAP-----	2
GENERAL AREA MAP-----	3
TABLES	
1. Surface Observations taken at 0945 MDT at LC-33-----	4
2. Anemometer Measured Wind Speed and Direction, LC-33 Fixed Pole, taken at 0945 MDT-----	5
3. Anemometer Measured Wind Speed and Direction, Tower Levels 1, 2, 3 and 4, taken at 0945 MDT-----	6
4. LC-33 Pilot Balloon Measured Wind Data at 0935 MDT-----	7
5. LC-33 Pilot Balloon Measured Wind Data at 0945 MDT-----	8
6. NICK SITE Pilot Balloon Measured Wind Data at 0935 MDT-----	9
7. NICK SITE Pilot Balloon Measured Wind Data at 0945 MDT-----	10
8. SMR Significant Level Data at 0845 MST-----	11
9. SMR Upper Air Data at 0845 MST-----	12
10. SMR Mandatory Levels at 0845 MST-----	17

INTRODUCTION

19702A GSRS, Missile Numbers 223 and 224, Round Numbers B-47 and B-48, were launched from LC-33, White Sands Missile Range (WSMR), New Mexico, at 0945 and 0945:04 MDT, 22 October 1979. The scheduled launch times were 0945 and 0945:04 MDT.

DISCUSSION

Meteorological data were recorded and reduced by the White Sands Meteorological Team, Atmospheric Sciences Laboratory (ASL), White Sands Missile Range, New Mexico. The data were obtained by the following methods:

1. Observations

a. Surface

(1) Standard surface observations to include pressure, temperature ($^{\circ}\text{C}$), relative humidity, dew point ($^{\circ}\text{C}$), density (gm/m^3), wind direction and speed, and cloud cover were made at the LC-33 Met Site at T-0 minutes.

(2) Anemometer data were provided from existing pole-mounted and tower-mounted anemometers at LC-33. Monitor of wind speed and direction from one anemometer was also provided in the launch control room.

b. Upper Air

(1) Low level wind data were obtained from RAPTS T-9 pibal observation at:

SITE AND ALTITUDE


LC-33 2Km
NICK 2Km

(2) Air structure data (rawinsonde) were collected at the following Met Sites. Data were collected from surface to 97,500 feet in 500-foot increments.

SITE AND TIME

SMR 0845 MST

Accession For	REL. G. 0421
Dist	MB
Unannounced	
Justification	
By	
Distribution	
Availability Codes	
Avail and/or special	
Dist	A 23 C.F.



1. MET TOWER - 4 Bendix Model T-20 Anemometers at 12 ft, 62 ft, 102 ft, and 162 ft with E/A recorders.
2. POLE ANEMOMETER - Bendix Model T-120 with E/A recorders.
 - (a) Pole #1 - 38.7 ft
 - (b) Pole #2 - 53.0 ft
 - (c) Pole #3 - 83.6 ft
3. RAPTS T-9 Radar Automatic Pilot-Balloon Tracking system T-9 Radar.




TABLE 1. Surface Observations taken at 0945 MDT,
22 October 1979, at LC-33, 19702A GSRS,
Missile Numbers 223, 224, Round
Numbers B-47, B-48.

ELEVATION	3977.30	FT/MSL
PRESSURE	877.6	MBS
TEMPERATURE	12.9	°C
RELATIVE HUMIDITY	37	%
DEW POINT	-1.4	°C
DENSITY	1064	GM/M ³
WIND SPEED	08	KTS
WIND DIRECTION	020	DEGREES
CLOUD COVER	1	Ac

LC-33 FIXED POLE ANEMOMETER MEASURED WINDS

POLE #1			POLE #2			POLE #3		
T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS
-30	033	02	-30	027	MISG	-30	027	13
-20	030	13	-20	031	MISG	-20	028	13
-10	030	13	-10	027	MISG	-10	029	13
0.0	030	12	0.0	026	MISG	0.0	032	12
+10	035	11	+10	027	MISG	+10	025	12

POLE #1 = X485,874.29 Y185,958.90 H4018.74 38.7 ft. AGL

POLE #2 = X485,874.93 Y186,012.00 H4033.57 53.0 ft AGL

POLE #3 = X485,877.29 Y186,116.06 H4063.92 83.6 ft AGL

TABLE 2

TYPE 19702A GSRS MISSILE NOS. 223, 224 ROUND NOS. B-47, B-48

LAUNCHED FROM LC-33 DATE 22 October 1979 TIMES. 0945, 0945:04 MDT

NOTE: WIND DIRECTIONS ARE REFERENCED TO TRUE NORTH.

LC-33 METEOROLOGICAL TOWER ANEMOMETER MEASURED WINDS (202 FT TOWER)

LEVEL #1 12 Feet			LEVEL #2 62 Feet		
T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS
-30	009	06	-30	028	11
-20	021	07	-20	032	09
-10	030	06	-10	026	10
0.0	013	09	0.0	019	10
+10	021	07	+10	045	09
LEVEL #3 102 Feet			LEVEL #4 202 Feet		
T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS
-30	012	10	-30	028	11
-20	036	10	-20	028	11
-10	033	11	-10	021	11
0.0	030	09	0.0	021	11
+10	035	09	+10	018	11

WTSM COORDINATES: X484,982.64 Y185,057.73 H3983.00 (base)

TABLE 3

TYPE 19702A GSRS MISSILE NOS. 223,224 ROUND NOS. B-47, B-48

LAUNCHED FROM LC-33 DATE 22 October 1979 TIMES. 0945, 0945:04 MDT

NOTE: WIND DIRECTIONS ARE REFERENCED TO TRUE NORTH.

GSRS PILOT BALLOON MEASURED WIND DATA

TABLE 4

RELEASED FROM LC-33 DATE 22 October 1979 TIME 0935 MDT

RELEASED POINT COORDINATES (WSTM) X= 486,037.24 Y= 182,350.16 H= 3977.30

MISSILE TYPE 19702A GSRS MISSILE NOS. 223, 224 ROUND NOS. B-47, B-48

MISSILE LAUNCHED FROM LC-33 DATE 22 October 1979 TIMES. 0945, 0945:04 MDT

NOTE: WIND DIRECTIONS ARE REFERENCED TO TRUE NORTH.

HEIGHT - METERS AGL

HEIGHT AGL	DIRECTION DEGREES	SPEED KTS
SFC	020	08
90	MISG	MISG
150	035	11
210	035	13
270	024	15
330	011	13
390	007	15
500	013	17
650	018	16
800	360	13
950	348	10
1150	001	08
1350	MISG	MISG
1550	262	08
1750	272	13
2000	291	10

HEIGHT AGL	DIRECTION DEGREES	SPEED KTS

HEIGHT AGL	DIRECTION DEGREES	SPEED KTS

GSRS PILOT BALLOON MEASURED WIND DATA

TABLE 5

RELEASED FROM LC-33 DATE 22 October 1979 TIME 0945 MDT
 RELEASED POINT COORDINATES (WSTM) X= 486.037.24 Y= 182.350.16 H= 3977.30
 MISSILE TYPE 19702A GSRS MISSILE NOS. 223, 224 ROUND NOS. B-47, B-48
 MISSILE LAUNCHED FROM LC-33 DATE 22 October 1979 TIMES. 0945, 0945:04 MDT

NOTE: WIND DIRECTIONS ARE REFERENCED TO TRUE NORTH.

HEIGHT - METERS AGL

HEIGHT AGL	DIRECTION DEGREES	SPEED KTS	HEIGHT AGL	DIRECTION DEGREES	SPEED KTS	HEIGHT AGL	DIRECTION DEGREES	SPEED KTS
SFC	020	08						
90	MISG	MISG						
150	026	06						
210	040	13						
270	038	11						
330	032	14						
390	008	13						
500	012	14						
650	014	15						
800	007	13						
950	348	09						
1150	MISG	MISG						
1350	275	02						
1550	250	07						
1750	272	13						
2000	292	09						

GSRS PILOT BALLOON MEASURED WIND DATA

TABLE 6

RELEASED FROM NICK DATE 22 October 1979 TIME 0935 MDT
 RELEASED POINT COORDINATES (WSTM) X= 470,734.56 Y= 255,775.64 H= 4126.57
 MISSILE TYPE 19702A GSRS MISSILE NOS. 223, 224 ROUND NOS B-47, B-48
 MISSILE LAUNCHED FROM LC-33 DATE 22 October 1979 TIMES, 0945, 0945:04

NOTE: WIND DIRECTIONS ARE REFERENCED TO TRUE NORTH.

HEIGHT - METERS AGL

HEIGHT AGL	DIRECTION DEGREES	SPEED KTS
SFC	300	04
90	327	05
150	339	06
210	347	07
270	353	09
330	358	10
390	356	10
500	350	11
650	343	11
800	346	10
950	350	10
1150	344	06
1350	305	04
1550	358	06
1750	281	08
2000	304	10

HEIGHT AGL	DIRECTION DEGREES	SPEED KTS

HEIGHT AGL	DIRECTION DEGREES	SPEED KTS

GSRS PILOT BALLOON MEASURED WIND DATA

TABLE 7

RELEASED FROM NICK DATE 22 October 1979 TIME 0945 MDT
 RELEASED POINT COORDINATES (WSTM) X= 470,734.56 Y= 255,775.64 H= 4126.57
 MISSILE TYPE 19702A GSRS MISSILE NOS. 223, 224 ROUND NOS. B-47, B-48
 MISSILE LAUNCHED FROM LC-33 DATE 22 October 1979 TIMES. 0945, 0945:04 MDT

NOTE: WIND DIRECTIONS ARE REFERENCED TO TRUE NORTH.

HEIGHT - METERS AGL

HEIGHT AGL	DIRECTION DEGREES	SPEED KTS
SFC	300	03
90	MISG	MISG
150	066	09
210	072	12
270	062	07
330	060	08
390	089	10
500	070	11
650	073	11
800	077	08
950	MISG	MISG
1150	099	09
1350	MISG	MISG
1550	336	10
1750	320	10
2000	280	10

HEIGHT AGL	DIRECTION DEGREES	SPEED KTS

HEIGHT AGL	DIRECTION DEGREES	SPEED KTS

STATION ALTITUDE 3997.30 FEET MSL
22 OCT. 79
ASCENSION NO. 360

SIGNIFICANT LEVEL DATA
2950060360
S M K

GEODETIC COORDINATES
32.48034 LAT DEG
106.42307 LONG DEG

TABLE 8

PRESSURE	GEOMETRIC ALTITUDE MILLIBARS MSL FEET	TEMPERATURE		REL. HUM. PERCENT
		AIR DEGREES	DEWPOINT CENTIGRADE	
886.1	3997.3	12.8	-2.6	34.0
879.2	4211.8	10.2	-4.9	34.0
850.0	5129.9	7.8	-7.0	32.0
805.2	6566.0	4.2	-10.2	34.0
774.6	7616.3	5.4	-17.7	17.0
700.0	10322.4	1.9	-20.5	17.0
688.4	10765.0	1.9	-21.2	16.0
664.8	11695.3	5.6	-18.2	16.0
551.2	16655.9	-2.7	-18.2	29.0
527.8	17779.4	-5.3	-20.5	29.0
500.0	19171.6	-7.1	-26.2	20.0
483.4	20035.4	-8.3	-27.2	20.0
469.0	20804.3	-10.4	-26.4	21.0
400.0	24752.2	-21.2	-32.0	37.0
391.9	25247.6	-22.7	-32.8	39.0
383.2	25769.7	-22.7	-36.6	26.0
371.0	26569.1	-23.9	-38.7	24.0
300.0	31545.6	-36.2	-48.3	27.0
292.2	32149.1	-37.4	-49.4	27.0
250.0	35630.0	-46.2		
200.0	40392.0	-57.8		
182.6	42266.5	-61.8		
155.2	45530.0	-68.7		
150.0	46202.5	-69.9		
151.4	48795.1	-71.9		
122.6	50152.5	-69.0		
135.4	53110.2	-72.3		
100.0	54131.0	-72.3		
77.0	61151.8	-66.8		
63.4	63152.2	-61.8		
50.0	68011.0	-61.5		
37.7	75916.4	-52.7		
30.0	78703.2	-53.7		
21.6	85761.3	-54.2		
20.0	87408.4	-50.6		
12.4	97753.4	-45.2		

STATION ALTITUDE 3997.30 FEET MSL
22 OCT 79
ASCENSION NO. 300

UPPER AIR DATA
2950003300
S M R

GEODETIC COORDINATES
32.48034 LAT DEG
106.42307 LONG DEG

TABLE 9

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	REL. HUM. PERCENT	DENSITY GM/CM ³	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES (T)	SPEED KNOTS	INDEX OF REFRACTION
3997.3	886.1	12.8	34.0	1077.2	659.5	30.0	9.9	1.000263
4000.0	885.0	12.8	34.0	1077.2	659.4	30.0	9.9	1.000263
4500.0	869.9	9.4	33.4	1070.5	655.5	25.4	9.2	1.000257
5000.0	854.1	8.1	32.3	1056.1	653.9	20.2	8.6	1.000252
5500.0	838.4	6.9	32.5	1041.4	652.4	14.2	8.0	1.000248
6000.0	822.9	5.6	33.2	1026.9	650.9	7.4	7.6	1.000244
6500.0	807.8	4.4	33.9	1012.5	649.5	1.0	7.0	1.000240
7000.0	792.8	4.7	27.2	993.0	649.7	350.2	6.0	1.000233
7500.0	778.2	5.3	18.9	972.9	650.3	350.3	4.8	1.000225
8000.0	763.7	4.9	17.0	950.2	649.9	324.3	3.5	1.000220
8500.0	749.5	4.3	17.0	940.6	649.1	265.3	3.5	1.000216
9000.0	735.6	3.6	17.0	925.3	648.3	261.0	5.8	1.000213
9500.0	721.9	3.0	17.0	910.2	647.6	255.0	8.0	1.000209
10000.0	708.5	2.3	17.0	895.4	646.8	263.5	8.1	1.000206
10500.0	695.3	1.9	16.6	880.1	646.3	263.3	8.6	1.000202
11000.0	682.4	2.8	16.0	868.8	647.4	297.0	9.5	1.000198
11500.0	669.1	4.8	16.0	859.6	649.8	307.4	11.0	1.000194
12000.0	657.2	5.1	15.8	822.1	650.1	303.0	13.3	1.000190
12500.0	644.9	4.3	18.1	809.1	649.1	300.7	15.5	1.000188
13000.0	632.8	3.4	19.4	796.4	648.2	296.4	16.9	1.000185
13500.0	621.0	2.6	20.7	783.6	647.2	293.0	18.1	1.000182
14000.0	609.3	1.7	22.0	771.5	646.2	293.3	18.3	1.000180
14500.0	597.9	.9	23.4	759.3	645.2	292.7	18.6	1.000177
15000.0	586.8	.1	24.7	747.4	644.3	291.0	19.9	1.000174
15500.0	575.8	-1.8	26.0	735.7	643.3	290.9	21.0	1.000172
16000.0	565.0	-1.6	27.3	724.1	642.3	292.4	22.4	1.000169
16500.0	554.4	-2.4	28.6	712.8	641.3	293.6	23.8	1.000166
17000.0	543.9	-3.5	29.0	702.0	640.0	290.4	24.6	1.000164
17500.0	533.5	-4.7	29.9	691.6	638.6	299.0	25.3	1.000161
18000.0	523.3	-5.6	27.6	680.6	637.5	300.7	26.4	1.000158
18500.0	513.2	-6.2	24.3	669.4	636.7	301.9	27.7	1.000154
19000.0	503.3	-6.9	21.1	658.2	635.9	302.5	29.7	1.000151
19500.0	493.6	-7.6	20.0	647.1	635.1	302.0	32.4	1.000148
20000.0	484.1	-8.3	20.0	636.3	634.2	303.2	34.5	1.000145
20500.0	474.6	-9.6	20.6	627.0	632.6	304.1	36.0	1.000143
21000.0	465.3	-10.9	21.6	617.9	631.0	304.7	36.8	1.000141
21500.0	456.0	-12.3	23.8	608.8	629.3	303.1	36.8	1.000139
22000.0	446.9	-13.7	25.8	599.6	627.7	304.0	37.3	1.000137
22500.0	436.0	-15.0	27.9	590.9	626.0	303.0	38.2	1.000135
23000.0	429.3	-16.4	29.9	582.2	624.4	302.0	39.3	1.000133

STATION ALTITUDE 3997.30 FEET MSL
22 OCT. 79
ASCENSION NO. 300

UPPER AIR DATA
2950000300
S M K

GEODETIC COORDINATES
32.48034 LAT DEG
106.42307 LON DEG

TABLE 9 (CONT)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GRAMS PER CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION, DEGREES (TIN)	SPEED KNOTS	INDEX OF REFRACTION
23500.0	420.7	-17.8	31.9	573.7	622.7	301.4	40.6	1.000131
24000.0	412.3	-19.1	34.0	565.2	621.0	297.6	41.8	1.000129
24500.0	404.1	-20.5	36.0	557.0	619.3	297.0	42.8	1.000127
25000.0	395.9	-22.0	38.0	546.9	617.0	294.9	42.7	1.000125
25500.0	387.8	-22.7	32.9	539.3	616.0	293.3	40.8	1.000122
26000.0	379.9	-23.0	32.5	528.9	616.2	291.4	38.6	1.000119
26500.0	372.1	-23.8	24.2	519.7	613.3	283.0	35.9	1.000117
27000.0	364.2	-25.0	24.3	511.2	613.8	284.6	34.7	1.000115
27500.0	356.6	-26.2	24.6	502.9	612.3	294.0	35.4	1.000113
28000.0	349.0	-27.4	24.9	494.8	610.7	290.8	36.9	1.000111
28500.0	341.7	-28.7	25.2	486.8	609.2	302.1	38.9	1.000109
29000.0	334.3	-29.9	25.5	478.9	607.6	300.9	40.2	1.000107
29500.0	327.4	-31.1	25.6	471.2	606.1	296.2	41.4	1.000106
30000.0	320.3	-32.4	26.1	463.6	604.5	297.9	42.1	1.000104
30500.0	313.7	-33.6	26.4	456.2	603.0	293.3	42.6	1.000102
31000.0	307.1	-34.8	26.7	448.9	601.4	293.3	43.1	1.000101
31500.0	300.6	-36.1	27.0	441.7	599.9	293.0	43.7	1.000099
32000.0	294.1	-37.1	27.0	434.0	598.6	297.7	43.7	1.000097
32500.0	287.6	-38.3	24.3**	426.6	597.1	297.3	43.0	1.000095
33000.0	281.3	-39.6	20.4**	419.4	595.4	290.9	42.1	1.000094
33500.0	275.0	-40.8	16.5**	412.4	593.8	290.4	40.6	1.000092
34000.0	268.9	-42.1	12.6**	405.5	592.2	293.3	39.1	1.000090
34500.0	263.0	-43.3	8.8**	398.7	590.6	293.0	37.8	1.000089
35000.0	257.2	-44.6	4.9**	392.0	589.0	294.7	36.8	1.000087
35500.0	251.5	-45.9	1.0**	385.4	587.3	292.2	36.3	1.000086
36000.0	245.7	-47.1		378.7	585.7	289.7	36.2	1.000084
36500.0	240.0	-48.3		371.9	584.1	287.8	38.6	1.000083
37000.0	234.3	-49.5		365.3	582.6	286.2	41.1	1.000081
37500.0	229.0	-50.8		358.8	581.0	285.5	42.8	1.000080
38000.0	223.7	-52.0		352.4	579.4	285.3	44.5	1.000079
38500.0	218.5	-53.2		346.1	577.8	287.0	46.3	1.000077
39000.0	213.3	-54.4		340.0	576.2	286.0	48.0	1.000076
39500.0	208.2	-55.6		334.0	574.6	286.6	49.0	1.000074
40000.0	203.7	-56.8		328.1	573.0	283.4	49.8	1.000073
40500.0	199.0	-58.0		322.2	571.4	283.7	49.8	1.000072
41000.0	194.2	-59.1		316.0	570.0	289.0	49.0	1.000070
41500.0	189.5	-60.2		310.0	568.6	290.4	48.4	1.000069
42000.0	185.0	-61.2		304.1	567.1	290.1	48.7	1.000068
42500.0	180.3	-62.3		298.2	565.7	289.6	49.0	1.000066
43000.0	176.0	-63.4		292.3	564.3	287.7	49.4	1.000065

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN LINE INTERPOLATION.

STATION ALTITUDE 3997.30 FEET MSL
22 OCT. 79
ASCENSION NO. 360

UPPER AIR DATA
2950060300
S M R

GEOMETRIC COORDINATES
32.48034 LAT DEG
106.42307 LON DEG

TABLE 9 (CONT)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES DEWPOINT CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CM ³	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES (T)	SPEED KNOTS	INDEX OF REFRACTION
43500.0	171.7	-64.4		286.6	562.9	285.3	49.9	1.000064
44000.0	167.5	-65.3		286.9	561.4	285.3	50.5	1.000063
44500.0	163.4	-66.5		275.4	560.0	282.0	51.0	1.000061
45000.0	159.4	-67.6		270.0	558.6	281.1	51.4	1.000060
45500.0	155.4	-68.8		264.8	557.1	280.7	51.7	1.000059
46000.0	151.5	-69.8		259.4	556.9	282.1	51.7	1.000058
46500.0	147.7	-69.2		252.4	556.3	284.7	51.4	1.000056
47000.0	144.0	-69.8		246.7	555.5	283.5	50.1	1.000055
47500.0	140.4	-70.4		241.2	554.7	287.3	47.9	1.000054
48000.0	136.8	-71.0		235.8	553.9	283.4	46.7	1.000053
48500.0	133.4	-71.6		239.5	553.1	283.2	46.6	1.000051
49000.0	130.0	-71.5		224.6	553.3	283.2	46.5	1.000050
49500.0	126.8	-70.4		217.8	554.7	283.0	46.7	1.000049
50000.0	123.6	-69.3		211.2	556.2	283.3	46.9	1.000047
50500.0	120.4	-69.4		205.9	556.1	291.4	46.1	1.000046
51000.0	117.4	-69.9		201.3	555.3	293.5	45.3	1.000045
51500.0	114.4	-70.5		196.7	554.6	293.6	46.1	1.000044
52000.0	111.6	-71.1		192.3	553.8	304.4	47.9	1.000043
52500.0	108.7	-71.6		188.0	553.1	308.6	48.1	1.000042
53000.0	106.0	-72.2		183.7	552.3	312.0	47.0	1.000041
53500.0	103.3	-72.3		179.2	552.1	314.5	44.9	1.000040
54000.0	100.7	-72.3		174.6	552.1	310.8	40.1	1.000039
54500.0	98.1	-72.0		170.0	552.5	303.2	35.5	1.000038
55000.0	95.7	-71.6		165.4	553.1	302.6	33.2	1.000037
55500.0	93.3	-71.2		160.9	553.6	299.0	31.0	1.000036
56000.0	90.9	-70.8		156.6	554.1	297.2	27.4	1.000035
56500.0	88.7	-70.4		152.4	554.7	293.0	23.3	1.000034
57000.0	86.4	-70.1		148.3	555.2	290.7	19.0	1.000033
57500.0	84.3	-69.7		144.3	555.7	277.0	15.1	1.000032
58000.0	82.2	-69.3		140.4	556.3	253.6	13.3	1.000031
58500.0	80.1	-68.9		136.6	556.8	238.1	17.0	1.000030
59000.0	78.1	-68.5		132.9	557.3	245.1	20.8	1.000030
59500.0	76.1	-68.1		129.3	557.9	252.1	23.6	1.000029
60000.0	74.2	-67.7		125.8	558.4	259.2	26.6	1.000028
60500.0	72.4	-67.3		122.5	558.9	263.0	27.6	1.000027
61000.0	70.5	-66.9		119.2	559.5	279.3	27.4	1.000027
61500.0	68.8	-65.9		115.7	560.8	283.0	26.9	1.000026
62000.0	67.1	-64.7		112.2	562.5	303.0	22.5	1.000025
62500.0	65.5	-63.4		108.8	564.2	315.7	19.3	1.000024
63000.0	63.9	-62.2		105.5	565.9	323.0	14.1	1.000023

GEODETIC COORDINATES
32.48034 LAT DEG
106.42307 LON DEG

UPPER AIR DATA
2550000300
S M R

STATION ALTITUDE 9997.30 FEET MSL
22 OCT. 79
ASCENSION NO. 360

TABLE 9 (CONT)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	DEWPOINT CENTIGRADE	REL. HUM. PERCENT	DENSITY GRAMS PER CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
							DIRECTION, DEGREES (TRUE)	SPEED KNOTS	
63500.0	62.3	-61.8			102.7	566.4	300.1	10.1	1.000023
64000.0	60.8	-61.7			100.2	566.4	230.2	8.4	1.000022
64500.0	59.4	-61.7			97.8	566.5	57.1	7.1	1.000022
65000.0	57.9	-61.7			95.4	566.5	67.7	7.9	1.000021
65500.0	56.5	-61.7			93.1	566.6	110.1	9.2	1.000021
66000.0	55.2	-61.6			90.8	566.6	120.1	11.2	1.000020
66500.0	53.8	-61.6			88.6	566.6	137.0	13.3	1.000020
67000.0	52.5	-61.6			86.5	566.7	143.5	14.1	1.000019
67500.0	51.3	-61.5			84.4	566.7	160.4	15.5	1.000019
68000.0	50.0	-61.5			82.3	566.8	170.9	15.5	1.000018
68500.0	48.8	-60.8			80.1	567.7	182.9	15.1	1.000018
69000.0	47.7	-60.0			78.0	568.7	190.0	15.4	1.000017
69500.0	46.6	-59.3			75.8	569.7	200.0	15.3	1.000017
70000.0	45.5	-58.7			73.8	570.7	203.1	15.3	1.000016
70500.0	44.4	-57.8			71.6	571.7	203.6	14.4	1.000016
71000.0	43.3	-57.0			69.9	572.7	213.1	11.6	1.000016
71500.0	42.3	-56.3			68.0	573.7	223.6	9.1	1.000015
72000.0	41.3	-55.6			66.1	574.7	223.1	7.2	1.000015
72500.0	40.3	-54.8			64.4	575.7	233.3	5.5	1.000014
73000.0	39.4	-54.1			62.6	576.8	233.1	3.9	1.000014
73500.0	38.5	-53.3			60.9	577.8	199.3	4.3	1.000014
74000.0	37.6	-52.7			59.3	578.4	171.5	6.3	1.000013
74500.0	36.7	-52.4			58.0	578.3	139.3	8.1	1.000013
75000.0	35.8	-52.4			56.7	578.1	147.5	8.8	1.000013
75500.0	35.0	-53.0			55.4	578.0	141.4	9.8	1.000012
76000.0	34.2	-53.1			54.1	577.9	133.7	9.4	1.000012
76500.0	33.4	-53.2			52.9	577.7	133.1	8.3	1.000012
77000.0	32.6	-53.3			51.7	577.6	137.2	7.2	1.000012
77500.0	31.9	-53.4			50.5	577.5	213.2	7.9	1.000011
78000.0	31.1	-53.7			49.4	577.3	260.3	22.2	1.000011
78500.0	30.4	-53.8			48.2	577.2	263.5	33.9	1.000011
79000.0	29.7	-53.7			47.1	577.1	263.9	25.4	1.000010
79500.0	29.0	-53.8			46.1	577.0	290.7	16.8	1.000010
80000.0	28.3	-53.8			45.0	577.0	294.6	4.5	1.000010
80500.0	27.7	-53.8			44.0	577.0	199.6	16.7	1.000010
81000.0	27.0	-53.9			42.9	576.9	110.2	37.9	1.000010
81500.0	26.4	-53.7			41.9	576.9	107.3	44.9	1.000009
82000.0	25.8	-53.9			41.0	576.8	107.2	36.2	1.000009
82500.0	25.2	-54.1			40.0	576.8	103.4	27.6	1.000009
83000.0	24.6	-54.0			39.1	576.7	57.4	20.4	1.000009

STATION ALTITUDE 3997.30 FEET MSL
22 OCT 79 0845 HRS MST
ASCENSION NO. 300

UPPER AIR DATA
295003000
S M R

GEODETIC COORDINATES
32.48034 LAT DEG
106.42307 LONG DEG

TABLE 9 (CONT)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND M/SEC	WIND DATA DIRECTION DEGREES (T)	SPEED KNOTS	INDEX OF REFRACTION
83500.0	24.0	-54.0		30.2	576.7	93.4	14.0	1.000009
84000.0	23.5	-54.1		37.3	576.6	74.1	8.0	1.000008
84500.0	22.9	-54.1		36.5	576.6	69.4	7.0	1.000008
85000.0	22.4	-54.1		35.6	576.5	107.7	7.7	1.000008
85500.0	21.9	-54.2		34.8	576.5	121.9	8.9	1.000008
86000.0	21.4	-53.7		33.9	577.1	130.3	9.8	1.000008
86500.0	20.9	-52.6		33.0	578.6	137.2	10.9	1.000007
87000.0	20.4	-51.3		32.0	580.0	142.0	11.7	1.000007
87500.0	19.9	-50.6		31.2	581.2	141.9	10.6	1.000007
88000.0	19.5	-50.3		30.4	581.6	141.3	9.6	1.000007
88500.0	19.0	-50.0		29.7	581.9	140.2	8.1	1.000007
89000.0	18.6	-49.3		29.0	582.3	131.2	5.5	1.000006
89500.0	18.2	-49.5		28.3	582.0	130.3	3.3	1.000006
90000.0	17.8	-49.3		27.6	582.9	70.0	3.0	1.000006
90500.0	17.4	-49.0		27.0	583.3	61.4	4.2	1.000006
91000.0	17.0	-48.7		26.3	583.6	50.3	5.6	1.000006
91500.0	16.6	-48.5		25.7	583.9	53.9	6.9	1.000006
92000.0	16.2	-48.2		25.1	584.3	53.1	8.3	1.000006
92500.0	15.8	-48.0		24.5	584.0	61.1	9.8	1.000005
93000.0	15.5	-47.7		23.9	584.9	63.4	11.2	1.000005
93500.0	15.1	-47.5		23.4	585.3	63.9	12.4	1.000005
94000.0	14.8	-47.2		22.8	585.6	63.9	13.5	1.000005
94500.0	14.5	-46.9		22.3	585.9	63.9	14.6	1.000005
95000.0	14.1	-46.7		21.7	586.3	63.9		1.000005
95500.0	13.8	-46.4		21.2	586.6			1.000005
96000.0	13.5	-46.2		20.7	586.9			1.000005
96500.0	13.2	-45.9		20.2	587.3			1.000005
97000.0	12.9	-45.6		19.7	587.6			1.000004
97500.0	12.6	-45.4		19.3	588.0			1.000004

STATION ALTITUDE 9997.30 FEET MSL
 22 OCT. 79
 ASCENSION NO. 360

MANDATORY LEVELS
 2950060300
 S M R

GEODETIC COORDINATES
 32.48034 LAT DEG
 106.42307 LON DEG

TABLE 10

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUM.		WIND DATA	
MILLIBARS	FEET	AIR DEGREES CENTIGRADE	DEWPOINT CENTIGRADE	PERCENT	DIRECTION DEGREES (TN)	SPEED KNOTS	
850.0	5126.	7.8	-7.8	32.	18.7	8.4	
800.0	6754.	4.4	-11.2	31.	360.0	6.5	
750.0	8479.	4.3	-18.0	17.	280.0	3.5	
700.0	10312.	1.0	-20.5	17.	270.0	8.3	
650.0	12286.	4.6	-17.9	18.	301.7	14.6	
600.0	14410.	1.1	-17.7	23.	292.0	18.7	
550.0	16089.	-2.8	-14.3	29.	294.0	24.2	
500.0	19145.	-7.1	-26.2	20.	302.0	30.6	
450.0	21813.	-13.2	-28.9	25.	305.1	37.0	
400.0	24711.	-21.2	-32.0	37.	295.0	43.3	
350.0	27909.	-27.3	-41.3	25.	293.0	36.7	
300.0	31426.	-36.2	-48.3	27.	290.0	43.7	
250.0	35552.	-46.2			291.0	36.2	
200.0	40204.	-57.8			266.4	50.0	
175.0	43020.	-63.6			267.2	49.5	
150.0	46078.	-68.9			263.0	51.6	
125.0	49626.	-69.8			289.1	46.9	
100.0	53964.	-72.3			309.7	39.1	
80.0	58308.	-68.9			250.0	16.8	
70.0	60943.	-66.8			282.0	27.6	
60.0	64050.	-61.7			41.0	7.5	
50.0	67757.	-61.5			170.0	15.6	
40.0	72570.	-54.5			234.0	5.1	
30.0	78408.	-53.7			289.7	29.8	
25.0	82201.	-54.0			102.2	25.6	
20.0	87001.	-50.6			141.4	10.9	
15.0	93108.	-47.4			63.7	12.7	

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN LINE INTERPOLATION.